

Test Report No.: 68.431.22.0093.01

Dated: 2022-07-29



Applicant : GUANGDONG KINGFA SCI.&TECH. CO., LTD.
NO.28 Delong Avenue, Shijiao Town, Qingcheng District,
Qingyuan City, Guangdong Province, China

Sample Description : Nitrile glove

Style No. / Name / Design No. : KG-1101


PO No. / Order No. : 25011826

Supplier/Manufacturer : GUANGDONG KINGFA SCI.&TECH. CO., LTD.

Test Sample Receipt Date, Location : 2022-05-06, 2022-05-12, 2022-07-04, 2022-07-08,
Shenzhen

Test Period, Location : From 2022-05-06 to 2022-07-28, Shenzhen

Test Result(s) : Refer to Section 3



Test Report No.: 68.431.22.0093.01

Dated: 2022-07-29



Purpose Of Examination / Conclusion:

Test Requested:	As specified by client, to test per the selected requirement(s) for the tested item(s) as stated in the Regulation (EC) No.1935/2004
-----------------	--

No.	Test Item(s)	Conclusion
1	Overall Migration	Pass
2	Specific Migration of PAA	Pass
3	Specific Migration of PAAs	Pass
4	Specific Migration of Phthalates	Pass
5	Specific Migration of Butadiene (BU)	Pass
6	N-Nitrosamines and N-Nitrosatable substances	Pass
7	Total Butadiene content	Pass
8	Phthalates Test	Pass

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) The test item and samples were specified by the client
- (4) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expanded uncertainty for "Pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
TÜV SÜD Group

Prepared by:

Reviewed by:



Simon Liu
Project Engineer

Angelina Wang
Supervisor

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Laboratory:

TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Nantou Checkpoint Road 2, 518052, P. R. China

Test Report No.: 68.431.22.0093.01

Dated: 2022-07-29



1. Description of the Test Sample:

Sample Description	Nitrile glove
--------------------	---------------

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black nitrile rubber glove	A photograph of a single black nitrile rubber glove laid flat on a blue background. A ruler is placed horizontally below the glove, showing measurements in centimeters. The glove is positioned with the fingers pointing upwards. The ruler has markings from 2 to 100 cm.

3. Test Result

3.1 Overall Migration

Test method: As specified in Regulation (EU) No. 10/2011 ANNEX III and V, test with reference to:
 EN 1186-1:2002 (Guide to the selection of conditions and test methods for overall migration)
 EN 1186-2:2002 (Oil by Total Immersion method)
 EN 1186-3:2002 (Total Immersion method)
 [Reporting Limit: 3mg/dm²]

TEST ITEM	TEST CONDITIONS	RESULTS [mg/dm ²]			LIMIT [mg/dm ²]
		SAMPLE 001 1 st Migration	SAMPLE 001 2 nd Migration	SAMPLE 001 3 rd Migration	
3% Acetic acid	40°C for 0.5 Hour	8.9	4.0	3.2	<10
10% Ethanol	40°C for 0.5 Hour	ND	ND	ND	<10
Rectified olive oil	40°C for 0.5 Hour	6.4	ND	ND	<10
Conclusion:		Pass*			--

Note 1. "°C" denotes degree Celsius

2. "<" denotes less than

3. "mg/dm²" denotes milligram per square decimeter

4. "ND" denotes below the Report Limit

5. The specification was quoted from Resolution ResAP(2004)5

6. "*" denotes the results of second migration should lower than first migration, the result of third migration should lower than second migration.



3.2 Specific Migration of PAA

Test method: with reference to EN 13130-1:2004, follow by Ultraviolet and visible spectrophotometry (UV-Vis).

Test Conditions: 3% Acetic Acid: 40 °C for 0.5 Hour

TEST ITEM	RESULT [mg/kg]			REPORT LIMIT [mg/kg]	LIMIT [mg/kg]
	SAMPLE 001 1 st Migration	SAMPLE 001 2 nd Migration	SAMPLE 001 3 rd Migration		
Primary Aromatic Amine	ND	ND	ND	<0.01	<0.01
Conclusion:	Pass	Pass	Pass	--	--


Note 1. "°C" denotes degree Celsius

2. "<" denotes less than

3. "mg/kg" denotes milligram per kilogram

4. "ND" denotes below the Report Limit

5. The specification was quoted from Regulation (EU) No. 10/2011 and its amendments



3.3 Specific Migration of PAAs

Test method: with reference to EN 13130-1:2004, follow by Liquid chromatography tandem mass spectrometer (LC-MS/MS). [Reporting Limit:0.002 mg/kg]

Test Conditions: 3% Acetic Acid: 40 °C for 0.5 Hour

TEST ITEM	RESULTS [mg/kg foodstuff]			LIMIT [mg/kg]
	SAMPLE 001 1 st Migration	SAMPLE 001 2 nd Migration	SAMPLE 001 3 rd Migration	
4-Aminobiphenyl (4-ABP)	ND	ND	ND	<0.002
Aniline (ANL)	ND	ND	ND	<0.002
o-Anisidine (o-ASD)	ND	ND	ND	<0.002
Benzidine (BNZ)	ND	ND	ND	<0.002
4-Chloro-Aniline (4-CA)	ND	ND	ND	<0.002
4-Chloro-o-Toluidine (4-CoT)	ND	ND	ND	<0.002
2,4-Dimethylaniline (2,4-DMA)	ND	ND	ND	<0.002
4,4'-Diaminodiphenylether (4,4'-DPE)	ND	ND	ND	<0.002
4,4'-Methylenedianiline (4,4'-MDA)	ND	ND	ND	<0.002
4,4'-Methylenedi-o-toluidine (4,4'-MDoT)	ND	ND	ND	<0.002
2-Methoxy-5-Methylaniline (2-M-5-MA)	ND	ND	ND	<0.002
m-Phenylenediamine (m-PDA)	ND	ND	ND	<0.002
4-Methoxy-mphenylenediamine (4-M-mPDA)	ND	ND	ND	<0.002
o-Toluidine (o-T)	ND	ND	ND	<0.002
2,4-Toluenediamine (2,4-TDA)	ND	ND	ND	<0.002
3,3-Dimethylbenzidine (3,3-DMB)	ND	ND	ND	<0.002
2,4,5-Trimethylaniline (2,4,5-TMA)	ND	ND	ND	<0.002
2,6-Toluenediamine (2,6-TDA)	ND	ND	ND	<0.002
2,6-Dimethylaniline (2,6-DMA)	ND	ND	ND	<0.002
p-Phenylenediamine (p-PDA)	ND	ND	ND	<0.002
1,5-Diaminenaphthalene (1,5-DAN)	ND	ND	ND	<0.002
2-naphthylamine	ND	ND	ND	<0.002
o-aminoazotoluene	ND	ND	ND	<0.002
5-nitro-o-toluidine	ND	ND	ND	<0.002
3,3'-dichlorobenzidine	ND	ND	ND	<0.002
3,3'-dimethoxybenzidine	ND	ND	ND	<0.002
4,4'-methylene-bis-(2-chloro-aniline)	ND	ND	ND	<0.002
4,4'-thiodianiline	ND	ND	ND	<0.002
4-amino azobenzene	ND	ND	ND	<0.002
Conclusion:	Pass	Pass	Pass	--

Note 1. "°C" denotes degree Celsius

2. "<" denotes less than

3. "mg/kg" denotes milligram per kilogram

4. "ND" denotes below the Report Limit

5. The specification was quoted from Regulation (EU) No. 10/2011 and its amendments

Laboratory:

TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : http://www.tuvsud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Nantou Checkpoint Road 2, 518052, P. R. China

3.4 Specific Migration of Phthalates

Test method: As specified in Regulation (EU) No. 10/2011 ANNEX III and V, and followed by gas chromatography/Mass Spectrometry (GC-MS) analysis.

Test Conditions: 95% Ethanol: 40 °C for 0.5 Hour

TEST ITEM	RESULT [mg/kg foodstuff]			REPORT LIMIT [mg/kg]	LIMIT [mg/kg]
	SAMPLE 001 1 st Migration	SAMPLE 001 2 nd Migration	SAMPLE 001 3 rd Migration		
Dibutyl phthalate (DBP)	ND	ND	ND	<0.30	0.3
benzyl butyl phthalate (BBP)	ND	ND	ND	<1.0	30
Bis (2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	<0.30	1.5
adipic acid, bis(2-ethylhexyl) ester (DEHA)	ND	ND	ND	<1.0	18
Bis(2-Ethylhexyl) Terephthalate (DEHTP)	ND	ND	ND	<1.0	60
Di-isononyl Phthalate (DINP)	ND	ND	ND	<2.0	-
Di-isodecyl Phthalate (DIDP)	ND	ND	ND	<2.0	-
DINP+DIDP	ND	ND	ND	<2.0	9
Conclusion:	Pass*			--	--

Note 1. "°C" denotes degree Celsius

2. "<" denotes less than

3. "mg/kg" denotes milligram per kilogram

4. "ND" denotes below the Report Limit

5. "*" denotes the results of second migration should lower than first migration, the result of third migration should lower than second migration.

**3.5 Specific Migration of Butadiene (BU)**

Test method: with reference to EN 13130-1:2004 and CEN/TS 13130-15:2005, follow by Headspace-Gas Chromatography Mass Spectrometry.

Test Conditions: 3% Acetic Acid: 40 °C for 0.5 Hour

TEST ITEM	RESULT [mg/kg foodstuff]			REPORT LIMIT [mg/kg]	LIMIT [mg/kg]
	SAMPLE 001 1 st Migration	SAMPLE 001 2 nd Migration	SAMPLE 001 3 rd Migration		
Butadiene	ND	ND	ND	<0.01	<0.01
Conclusion:	Pass	Pass	Pass	--	--

Note 1. "°C" denotes degree Celsius

2. "<" denotes less than

3. "mg/kg" denotes milligram per kilogram

4. "ND" denotes below the Report Limit

**Laboratory:**

TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Nantou Checkpoint Road 2, 518052, P. R. China

3.6 N-Nitrosamines and N-Nitrosatable substances

Test Method: As per EN12868:2017, analyzed by high performance liquid chromatography with mass spectrometer detector (HPLC-MS-MS)

Test Conditions: Artificial Saliva :40 °C for 24 Hours

Items	Results [mg/kg]	Limit
	Sample 001	
[Amines] N-nitrosodimethylamine (NDMA)	<0.001	-
[Amines] N-nitrosodiethylamine (NDEA)	<0.001	-
[Amines] NPYR + NMPhA	<0.001	-
[Amines] N-nitrosomorpholine (NMOR)	<0.001	-
[Amines] N-nitrosodipropylamine (NDPA)	<0.001	-
[Amines] N-nitrosopiperidine (NPIP)	<0.001	-
[Amines] N-nitroso N-ethyl N-phenylamine (NEPhA)	<0.001	-
[Amines] N-nitrosodibutylamine (NDBA)	<0.001	-
[Amines] N-nitrosodibenzylamine (NDBzA)	<0.001	-
[Amines] N-nitrosodiisononylamine (NDiNA)	<0.001	-
Sum of N-Nitrosamines	<0.01	<0.01
[Satable] N-nitrosodimethylamine (NDMA)	<0.01	-
[Satable] N-nitrosodiethylamine (NDEA)	<0.01	-
[Satable] NPYR + NMPhA	<0.01	-
[Satable] N-nitrosomorpholine (NMOR)	<0.01	-
[Satable] N-nitrosodipropylamine (NDPA)	<0.01	-
[Satable] N-nitrosopiperidine (NPIP)	<0.01	-
[Satable] N-nitroso N-ethyl N-phenylamine (NEPhA)	<0.01	-
[Satable] N-nitrosodibutylamine (NDBA)	<0.01	-
[Satable] N-nitrosodibenzylamine (NDBzA)	<0.01	-
[Satable] N-nitrosodiisononylamine (NDiNA)	<0.01	-
Sum of N-Nitrostable	<0.1	<0.1
Conclusion	Pass	-

Note 1. "<" denotes less than

2. "mg/kg" denotes milligram per kilogram

Laboratory:

TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : http://www.tuvsud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Nantou Checkpoint Road 2, 518052, P. R. China

3.7 Total Butadiene content

Test method: with reference to EN 13130-1:2004 and EN 13130-4:2004, follow by Headspace-Gas Chromatography Flame Ionization Detector (GC-FID).

TEST ITEM	RESULTS [mg/kg]	MAXIMUM PERMISSIBLE LIMIT [mg/kg]
	SAMPLE 001	
Total butadiene content	< 0.2	1.0
Conclusion	Pass	-

Note 1. "<" denotes less than

2. "mg/kg" denotes milligram per kilogram

3.8 Phthalates Test

Organic solvent extraction , followed by GC-MS analysis
[Reporting Limit = 0.005%]

Test Items	CAS No.	Results [%]	Limit [%]
		Sample 001	
Benzyl butyl phthalate(BBP)	85-68-7	<0.005	<0.1
Bis (2-ethylhexyl) phthalate(DEHP)	117-81-7	<0.005	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	<0.005	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	<0.005	<0.1
Di-n-butyl Phthalate, (DnBP)	84-74-2	<0.005	<0.05
Conclusion		Pass	-

Note 1. "<" denotes less than

2. "%" denotes percent by weight

3. The specification was quoted from Regulation (EU) No. 10/2011

-- END OF TEST REPORT--

Laboratory:

TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone : +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : http://www.tuvsud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Nantou Checkpoint Road 2, 518052, P. R. China